

L Number	Hits	Search Text	DB	Time stamp
11	14	(servlet or applet) with business adj (object or process) with one\$6	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
12	0	(servlet or applet) with business adj (object or process) with one n ar2 one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
13	0	(servlet or applet) with business adj (object or process) with (one near2 one or correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
14	0	(servlet or applet) with business adj (object or process) with (correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
15	7	(servlet or applet) with business adj (object or process) same (correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:48
16	59	(servlet or applet) with (task or process) same (correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:49
17	0	(servlet or applet) with (task or process) with (one\$6 near correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:49
18	190	(servlet or applet) with (task or process) with (one\$6 or correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:49
19	2	(servlet or applet) with (task or process) with (one\$6 or correspond\$3) with map\$5	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:50
20	3	(servlet or applet) with (task or process) with (one\$6 or correspond\$3) same business	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:54
21	77	(servlet or applet) with (task or process) same business	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:54
22	44	((servlet or applet) with (task or process) same business) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:07

23	19	((servlet or applet) with (task or process) same business) and ((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")) and applet and servlet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:01
24	0	servlet with one adj to adj one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:02
25	3	servlet with one-to-one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:34
26	6	(bean or applet or servlet or JSP) with one-to-one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:06
27	37	(bean or applet or servlet or JSP) with (correspond\$3 or associat\$3) with business	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:32
28	19	((bean or applet or servlet or JSP) with (correspond\$3 or associat\$3) with business) and ((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:36
29	6	conver\$5 with applet with servlet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:11
51	7	servlet with one with screen	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:35
52	47	servlet with (task or function) with (response or output or html or hypertext)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:36
53	22	(servlet with (task or function) with (response or output or html or hypertext)) and ((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:50
54	226	render\$3 with applet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:50
55	57	render\$3 near2 applet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:50

L Number	Hits	Search Text	DB	Time stamp
11	14	(servlet or applet) with business adj (object or process) with one\$6	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
12	0	(servlet or applet) with business adj (object or process) with one near2 one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
13	0	(servlet or applet) with business adj (object or process) with (one near2 one or correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
14	0	(servlet or applet) with business adj (object or process) with (correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:47
15	7	(servlet or applet) with business adj (object or process) same (correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:48
16	59	(servlet or applet) with (task or process) same (correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:49
17	0	(servlet or applet) with (task or process) with (one\$6 near correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:49
18	190	(servlet or applet) with (task or process) with (one\$6 or correspond\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:49
19	2	(servlet or applet) with (task or process) with (one\$6 or correspond\$3) with map\$5	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:50
20	3	(servlet or applet) with (task or process) with (one\$6 or correspond\$3) same business	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:54
21	77	(servlet or applet) with (task or process) same business	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 13:54
22	44	((servlet or applet) with (task or process) same business) and (((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:07

23	19	((servlet or applet) with (task or process) same business) and ((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101")) and applet and servlet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:01
24	0	servlet with one adj to adj one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:02
25	3	servlet with one-to-one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:05
26	6	(bean or applet or servlet or JSP) with one-to-one	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:06
27	37	(bean or applet or servlet or JSP) with (correspond\$3 or associat\$3) with business	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:07
28	19	((bean or applet or servlet or JSP) with (correspond\$3 or associat\$3) with business) and ((@ay < "2001") or (@pray < "2001") or (@rlad < "20010101"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:11
29	6	conver\$5 with applet with servlet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 14:11

L Number	Hits	Search Text	DB	Time stamp
4	0	6621505.URPN.	USPAT	2004/01/07 09:54
5	19	("5651108"   "5675752"   "5675753"   "5734907"   "5774887"   "5787470"   "5796393"   "5835712"   "5848271"   "5859972"   "5862322"   "5862325"   "5893110"   "5930768"   "5960411"   "5963915"   "6026433"   "6069628"   "6078325").PN.	USPAT	2004/01/07 09:54
6	751	(345/764).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 09:55
7	3	((345/764).CCLS.) and ((servlet or applet) same navigat\$5 same (process or task))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 09:57
10	20	((345/764).CCLS.) and ((servlet or applet) same (process or task))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 09:57
15	241	(servlet or applet) with (output or response) with generat\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 11:53
16	0	(servlet or applet) with (output or response) with generat\$3 same business adj process	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 11:53
17	10	(servlet or applet) with (output or response) with generat\$3 same correspond\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 11:54
18	3	(servlet or applet) with (output or response) with generat\$3 same (process or step or task) same (screen or metadata)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:03
19	126	(servlet or applet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:08
20	94	((servlet or applet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task)) and ((@ay < "2001") or (@pray < "2001") or (@riad < "20010101"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:06
21	0	(servlet and applet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:09
22	1	(servlet) with (output or response) with (generat\$3 or creat\$4 or prepar\$5) same (process or step or task) same applet	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:10

23	19	(servlet and applet) with (hypertext or html) with (generat\$3 or creat\$4 or prepar\$5)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:11
24	16	(servlet and applet) with (generat\$3 or creat\$4 or prepar\$5) adj3 (hypertext or html)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:15
25	181	(servlet or applet) with (generat\$3 or creat\$4 or prepar\$5) adj3 (hypertext or html)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:15
26	37	(servlet or applet) adj3 (generat\$3 or creat\$4 or prepar\$5) adj3 (hypertext or html)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:30
27	2	60/060,512	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:26
28	15	(servlet or applet) adj5 (hypertext or html) same business adj (process or task or object)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:32
29	2	"60173573"	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/01/07 12:32